

USER'S MANUAL

3.5" Type USB 2.0 HARD DISK BOX ENCLOSURE

Top view (optional)



Connectors View (Optional)



<u>Index</u>	<u>Page</u>
Introduction.....	2
Features.....	2
Specification.....	2
System requirements.....	3
Package contents.....	3
Hardware Installation.....	4
Software Installation.....	11



This Product is achieve the USB 2.0 High-Speed, must be plugged in to USB 2.0 Host Port. If this product is plugged into the USB 1.1 Host port, this product will only have USB 1.1 Full-Speed.

Introduction :

The is the USB 2.0 hard disk enclosure,it will offer an easy to carry Interface solution for user to add more storage & portable with PC.

Features & Specification :

1. USB INTERFACE:

- ▲Interface standard: USB Ver.2.0 / 1.1.
- ▲USB connectors: 1 B type female connectors and 1 USB Cable
- ▲Data transfer rate: High Speed at 480Mb/sec and FULL speed at 12Mb/sec
- ▲Power LED : 1 LED for Power in.(Bus or Self power)
- ▲Activity LED: 1 LED for Hard Disk READ&WRITE
- ▲High Speed LED: 1 LED display for Usb 2.0 high speed
- ▲For one 3.5 inch Hard Disk only
- ▲EMI : CE & FCC

System requirements :

- ✧ IBM PC/AT Compatible or Apple iMac.G4
- ✧ USB 2.0 Host card or USB 2.0 HUB device
- ✧ Windows 2000, Windows XP, Windows ME or Windows 98SE operating system
- ✧ Apple iMac.G4 10.x

Packing contents :


Item
3.5" HDD BOX ENCLUSURE
USB A TO B TYPE CABLE
SCREWS SET
POWER ADAPTER
CD DRIVER (WITH MANUAL)

Chapter 1

Hardware Installation :

(1) Follow the steps as below to install 3.5" hard disk (for with power switch type)

1. Open the Usb hard disk enclosure as below view:



2. Assemble the 3.5" hard disk : Please advirt aspect of cable





3. Please screwing HDD together with housing.





4. Please close the hard disk enclosure and close & screwing HDD enclosure .





(2) Follow the steps as below to install 3.5" hard disk (for without power switch HDD box enclosure)

1. Open the Hard disk box enclosure



2. Insert & assemble 3.5" hard disk :please follow aspect of cable as below view:



2. Please screwing HDD together with housing for two Side of HDD.



3. Assemble the top case as below



4.Close the case as below view:



Chapter 2

Software Installation :

Supported OS


Windows XP, Windows 2000, Windows ME, Windows 98SE (Windows XP ,Win2000 and Windows ME works without driver) and Mac 10.x . The drivers supplied with this distribution are for Win98SE only.

Windows XP and Windows ME and windows 2000


You do not need to install any driver if your computer's O.S is Windows XP or Windows ME & Win2000 . Turn On your computer, system will auto detect and attempt load driver on “and appear new disk icon within “My Computer” icon on pc desktop.

Windows 98SE INSTALLATION

***** Please plug-in HDD box to usb port,windows will search win98 driver,and click “choose setup componment “then click “next” to continue.**




***** Windows will ask you to restart your pc, please click “Final” and restart PC.**



***** Please plug-in the usb hard disk enclosure to usb port of or hub with usb cable & power adapter on your PC.**


***** Please entry the “system properties”the select “ devices Manager”then click ” disk drivers”and double click “usb2.0 Storage device”**




***** Please click “settings”**




***** Please click “settings” then select “Removable” and click “ok”**



***** Windows will ask you to restart PC ,please click “yes”**



***** “My computer”will appear a new “Remove Disk”icon then please format firstly and double click start to use.**



Mac OS

If your MAC O.S is 10.2 or above , you don't need to install any driver. Please just plug the HDD BOX into the USB port , then Mac pc will auto detect & appear a new “untitled” disk , you can start to format and use the USB2.0 3.5” HDD disk box.

